



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX.

A.

Acalypha erubescens, 393.
 hypogæa, 322.
 polystachya, 322.
Agave Potosina, 393.
Æchynomene amorphoides, 315.
Alsineæ, North American, 273-313.
Anhydride, mucobromoxime, 46.
Anoda hastata, 382.
Antherozoids endogenous, 105.
 exogenous, 110.
Antimony, Double Haloids of, 212.
Arenaria, 289.
 aculeata, 294.
 alsinoides, 293.
 arctica, 305.
 Benthamii, 292.
 brevifolia, 299.
 Californica, 300.
 capillaris, 294.
 Caroliniana, 306.
 ciliata, 292.
 compacta, 295.
 congesta, 295.
 Douglasii, 299.
 Fendleri, 296.
 Franklinii, 297.
 glabra, 299.
 Groenlandica, 298, 328.
 Hookeri, 297.
 Howellii, 300.
 laricifolia, 305.
 lateriflora, 290.
 macradenia, 296.
 macrocarpa, 305.
 macrophylla, 290.
 Nuttalli, 303.
 paludicola, 298.
 patula, 301.
 peplodes, 291.
 physodes, 291.
 pusilla, 300.
 Rossii, 303.

Arenaria Sajanensis, 304.
 saxosa, 293.
 serpyllifolia, 292.
 stricta, 301.
 tenella, 300.
 ursina, 294.
 verna, 302.
Argentio chloride, solubility of, 69.
 ratio to baric chloride, 74.
Arsenic, Formation of Volatile Compounds from Arsenical Wall Papers, 112-147.
 fermentation in solution, 129.
 fermentation on paper, 131.
 direct experiments on the air of rooms, 132.
 experiments using *Penicillum brevicaulis*, 137, 140.
Arsenical Poisoning from Wall Papers and Fabrics, on Chronic, 148-177.
 cases and analytical work, 157.
Asclepias Jaliscana, 318.
Aster paucicapitatus, 329.
Aubois Canal Lock, description of, 454.
Ayenia glabra, 314.

B.

Baric chloride, the analysis of, 55.
 properties of, 56.
 action of heat on, 59.
 preparation of, 61.
 ratio to baric sulphate, 67.
 relation to argentic chloride, 74.
 ratio of metallic silver to, 80.
Baric sulphate, ratio of baric chloride to, 67.
Barium, Atomic Weight of, 55, 88.
Bassovia Donnell-Smithii, 320.
Begonia palmaris, 316.

- Bilinear Form, the automorphic linear transformation of α , 178.
 on the group of automorphic linear transformations of, 371.
- Biographical notices, list of, 413.
 Marquis of Caligny, 452.
 Moses Gerrish Farmer, 415.
 Hermann August Hagen, 419.
 Benjamin Jowett, 460.
 James Russell Lowell, 423.
 Charles Merivale, 462.
 Henry Warren Paine, 432.
 Francis Parkman, 435.
 Henry Warren Torrey, 448.
- Bromocrotonolactone, α , 26.
 action of bromine upon, 28.
 action of oxidizing agents upon, 29.
 action of aniline upon, 30.
- Bromocrotonolactone, β , 24.
 action of bromine upon, 25.
 action of oxidizing agents upon, 26.
 α -phenoxy, 39.
- Bursera Pringlei, 314.
- C.
- Cæsalpinia Mexicana, 386.
 Calogania pulchella, 315.
 Camptomyces, 100.
 melanopus, 101.
 Cantharomyces pusillus, 100.
 Carlwrightia hapalocarpa, 390.
 Caryophyllaceæ, 274.
 Cerastium, 275.
 alpinum, 280.
 arvense, 278.
 brachypodium, 277.
 maximum, 276.
 nutans, 278.
 semidecandrum, 277.
 sericeum, 278.
 Texanum, 276.
 trigynum, 280.
 vulgatum, 277.
 viscosum, 276.
- Ceratomyces humilis, 94.
 terrestris, 94.
- Chlorcrotonolactone, α , 38.
 Chlorcrotonolactone, β , 36.
 α -phenoxy, 42.
- Cleavage, some Laws of, in Limax, 180-203.
- Clitoria sericea, 315.
- Communications, —
 Francis Gano Benedict, 212.
 Henry B. Hill and Robert W. Cornelison, 1.
 Oliver Whipple Huntington, 204, 251.
 C. Loring Jackson and F. L. Dunlap, 228.
 C. A. Kofoed, 180.
 Frank A. Laws, 261.
 Alpheus S. Packard, 331.
 Theodore William Richards, 55.
 B. L. Robinson, 273.
 B. L. Robinson and J. M. Greenman, 382.
 Charles Robert Sanger, 112, 148.
 Harris Eastman Sawyer, 242.
 Henry Taber, 178, 371.
 Roland Thaxter, 92.
- Compsomyces, 96.
 verticillatus, 97.
- Coreopsis petrophiloides, 388.
 Coulterophytum laxum, 386.
 Coursetia mollis, 384.
- Crotonolactone, reduction of $\alpha\beta$ -dibromocrotonolactone to, 31.
- Crotonolactones, on certain substituted, 1.
- Crusea coronata, 387.
- Cunila pycnantha, 391.
- Currents, Investigation of the Phenomena of Alternating, 261.
- Cytinus oxylapis, 321.
- D.
- Dalea filiciformis, 382.
 neglecta, 329.
 unifoliata, 383.
- Desmodium spirale, 384.
- Diamonds, the Occurrence in Meteorites of, 204-211.
- Dibromocrotonolactone, $\alpha\beta$, 13.
 action of oxidizing agents upon, 19.
 action of bromine upon, 20.
 action of aniline upon, 21.
 action of hydriodic acid upon, 22.
 reduction to crotonolactone, 31.
- Dibromoresorcine diethylether, 231.
- Dichlorocrotonolactone, $\alpha\beta$, 33.
 action of oxidizing agents upon, 35.

- Dichlorcrotonolactone, action of aniline upon, 35.
 action of hydriodic acid upon, 36.
- Dichomyces inæqualis, 103.
 infectus, 102.
- Diethylether, dibromresorcine, 231.
 dinitroresorcine, 232.
 tribromresorcine, 231.
- Dimorphomyces muticus, 104.
- Dinitroresorcine diethylether, 232.
 properties of, 233.
- Dioscorea Dugesii, 330.
 grandifolia, 323.
 hirsuticaulis, 324.
 militaris, 324.
 plumifera, 324.
 Pringlei, 323.
- Double Haloids of Antimony and Potassium, 212-227.
- E.**
- Ehretia cordifolia, 319.
- Electrical discharges of high potential and of high frequency, phenomena produced by, 405.
- Eriodendron tomentosa, 314.
- Eriosema multiflorum, 316.
- Eucelia Mexicana, 388.
- Euphorbia delicatula, 391.
 Jaliscensis, 392.
- Evolvulus prostratus, 320.
- F.**
- Fellows, Associate, elected, —
 Edward Salisbury Dana, 401.
 Grove Karl Gilbert, 397.
 Frederick Remsen Hutton, 397.
 Samuel Louis Penfield, 401.
 John Donnell Smith, 408.
- Fellows, Associate, list of, 471.
- Fellows, Resident, deceased, —
 Moses Gerry Farmer, 401.
 Henry Warren Paine, 404.
 Francis Parkman, 435.
- Fellows, Resident, elected, —
 Francis Mathews Green, 408.
 Granville Stanley Hall, 404.
 Sylvester Rosa Koehler, 397.
 Wallace Clement Sabine, 408.
- Fellows, Resident, list of, 467.
- Foreign Honorary Members, elected, —
 Jean Baptiste Édouard Bornet, 401.
 James Bryce, 398.
 Ludimar Hermann, 398.
 Friedrich August Kekulé, 397.
 Maurice Lévy, 397.
 Sir Joseph Lister, 398.
- Foreign Honorary Members, deceased, —
 Benjamin Jowett, 401.
 Charles Merivale, 404.
 Sir James Fitzjames Stephen, 407.
 Charles E. Brown-Séquard, 409.
 Pierre J. Van Beneden, 407.
- Foreign Honorary Members, list of, 473.
- G.**
- Galactia multiflora, 315.
- Galinsoga, Notes upon the Genus, 325.
 parviflora, 326.
 hispida, 327.
- Gonolobus angustilobus, 388.
 diadematus, 389.
 Jaliscensis, 389.
 sororius, 318.
- Gosio, the work of, 134.
- Guardiola rotundifolia, 317.
- Gymnolomia patens, 387.
 rudis, 387.
- H.**
- Heimatomyces aurantiacus, 103.
- Heredity, physical basis of, 331.
 of characters, 337.
 homochronous, in insects with a hypermetamorphosis, 351.
- Holosteum, 275.
 umbellatum, 275.
- I.**
- Inheritance of acquired Characters in Animals with a complete Metamorphosis, 331-370.

Inheritance, etc., at corresponding periods of life, 347.
 in Lepidoptera, 359.
Ipomœa perlonga, 319.
 stans, 319.
Isochilus unilaterale, 323.

J.

Jacobinia stellata, 390.

L.

Laboulbeniaceæ, new Genera and Species of, with a Synopsis of the known Species, 92-111.
 Lepidoptera, inheritance of acquired characters in, 359.
Liabum cervinum, 317.
Limax, some laws of cleavage in, 180-203.
Liparis Galeottiana, 322.
Lippia appendiculata, 390.

M.

Metallic Silver, ratio to baric chloride, 80.
 Meteorites, the occurrence of diamonds in, 204.
 Mexico, description of new plants collected by C. G. Pringle in, 314, 382.
Mimosa Tequilana, 316.
Moschomyces, 97.
 insignis, 97.
Mucobromamide, 49.
Mucobromic acid, 1, 45.
Mucobromoxime, 45.
 anhydride, 46.
 methylester of, 47.
Mucochloramide, 52.
Mucochloric acid, 51.
Mucochloroxime, 51.
 methylester of, 51.
Mucophenoxybromic acid, 53.
Mucophenoxybromoxime, 53.
Mucophenoxychlorate, argentic, 244.
 baric, 244.
 potassic, 243.
Mucophenoxychloric acid, 54, 242.
Mucophenoxychloroxime, 54.

N.

Nemastylis flava, 323.
 Neolamarckism, the adequacy of, 367.
Nissolia confertiflora, 315.
 Nitric acid, action on tribromresorcine, 239.
 Notodontidæ, acquired characters in the, 363.

O.

Officers elected, 398.

P.

Pedilanthus Pringlei, 322.
Penicillium brevicaula, 137, 140.
Perezia Pringlei, 388.
Peyritschella geminata, 101.
Phaseolus monospermus, 385.
Phenoxy-β-bromcrotonolactone, 39.
 -chlorcrotonolactone, 42.
Phenoxychloracrylate, argentic, 247.
 baric, 246.
 calcic, 246.
 potassic, 246.
Phenoxychloracrylic acid, 245.
Phenoxychlormaleate, argentic, 250.
 baric, 249.
Phenoxychlormaleic acid, 247.
Phenoxychlormaleic anhydride, 249.
Pherotrichis leptogenia, 319.
 Photography, astronomical, work of Harvard College Observatory in, 410.
Phyllanthus Tequilensis, 392.
Physalis leptophylla, 389.
Pinguicula parvifolia, 320.
Polygala puberula, 382.
Polycarpeæ, 275.
 Potassium and Antimony, Double Haloids of, 212.
 Pringle, C. G., description of new plants collected in Mexico by, 314, 382.
 Proceedings of meetings, 395.

R.

Randia Watsoni, 317.
 Resorcine, bromine derivatives of, 228.
 Rumford Committee, report of, 396.

S.

- Sagina*, 306.
 apetala, 306.
 crassicaulis, 308.
 decumbens, 306.
 Linnæi, 307.
 nivalis, 308.
 nodosa, 308.
 occidentalis, 307.
 procumbens, 307.
Salvia Pringlei, 391.
Saxifraga Pennsylvanica, 329.
Schizocarpum parviflorum, 386.
 Self-Induction, an Apparatus for the
 Measurement of Coefficients
 of, 261-272.
Sida caudatifolia, 382.
Silene laciniata, 328.
 subciliata, 327.
 Silver, preparation of, 64.
Sisyrinchium Pringlei, 394.
 Smithville meteoric iron, 251.
 Sodium malonic ester, action on tri-
 bromresorcine, 238.
 Solutions, preparations of standard,
 66.
Spergula, 313.
 arvensis, 313.
Spergularia, 309.
 borealis, 312.
 Clevelandi, 310.
 diandra, 310.
 gracilis, 311.
 macrotheca, 312.
 rubra, 309.
 salina, 311.
 tenuis, 311.
Sphaleromyces, 95.
 Lathrobii, 95.
Stellaria, 281.
 aquatica, 281.
 borealis, 285.
 crassifolia, 286.
 crispa, 287.
 dichotoma, 289.
 fontinalis, 286.
 graminea, 282, 285.
 Holostea, 288.

Stellaria humifusa, 286.

- Jamesii*, 289.
 Kingii, 283.
 littoralis, 287.
 longifolia, 283.
 longipes, 283, 285.
 macropetala, 288.
 media, 282.
 nitens, 282.
 Nuttallii, 289.
 obtusata, 287.
 prostrata, 282.
 pubera, 288.
 ruscifolia, 287.
 uliginosa, 285.
 umbellata, 283.
 uniflora, 288.

Sterea serrata, 317.

T.

- Tephrosia macrantha*, 383.
Teratomyces, 98.
 Actobii, 98.
 brevicaulis, 99.
Toennies, dibromfumaric aldehyde
 of, 17.
Tragia affinis, 393.
Tribromnitroresorcinodiacetate, 241.
 properties of, 241.
Tribromresorcine, 233.
 sodium salt of, 235.
 action of sodium malonic ester
 on, 238.
 action of nitric acid on, 239.
Tribromresorcinodiacetate, behavior
 of, 240.
Tribromresorcine diethylether, 231.
 constitution of, 232.

V.

- Valeriana Palmeri*, 317.
Vigna strobilophora, 386.
Viguiera Pringlei, 387.
Vitex pyramidata, 321.